

Technical Specifications for Multi Utility Vehicle (MUV) under NVBDCP

1.	DESCRIPTION:	:	PETROL ENGINE, Bharat stage IV/ EURO IV.
2.	SEATING CAPACITY:	:	1+ 5 Persons (Minimum)
3.	PERFORMANCE:		
	3.1 Maximum Output (BHP)	:	Minimum 80 BHP, certified by test agencies.
	3.2 Maximum torque (Kgm)	:	Minimum 100 Nm, certified by test agencies
4.	ENGINE CAPACITY:	:	Minimum 1200 cc.
5.	BODY/ CHASSIS FRAME:		
	Body Frame	:	Existing factory built models with Hard Top (openable from rear).
6.	INSCRIPTIONS WITH LOGO: (with acrylic stoving paint)		
	6.1 On LH Side	:	IN BOLD LETTERS - *NATIONAL VECTOR BORNE DISEASE CONTROL PROGRAMME *
	6.2 On RH Side	:	-do-
	6.3 On Bonnet	:	-do-
7.	DRIVE MODE:	:	4x4 Facility.
8.	Complete built unit along with all standard mounting and accessories as per DGS&D rate contract.		
9.	Supplier should provide after sales and service facilities.		
10.	Colour	:	White